

MB AM5 ASROCK B650M-H/M.2+ - D

Brand: Asrock
Product Code: 4710483943768
Availability:

Rp1.770.000



Description:

Chipset	AMD B650
CPU	Supports AMD Socket AM5 Ryzen™ 9000, 8000 and 7000 Series Processors*
Memory	2 x DDR5 DIMM Slots
	Max. capacity of system memory: 128GB
Onboard Graphics	1 x HDMI 2.1 TMDS/FRL 8G Compatible, supports HDR, HDCP 2.3 and max. resolution up to 4K 120Hz
	- 1 x DisplayPort 1.4 with DSC (compressed), supports HDCP 2.3 and max. resolution up to 4K 120Hz
Audio	7.1 CH HD Audio (Realtek ALC897 Audio Codec)
LAN	- Gigabit LAN 10/100/1000 Mb/s
	- Realtek RTL8111H
Slots	CPU:
	- 1 x PCIe 4.0 x16 Slot (PCIE1), supports x16 mode*
	Chipset:
	- 2 x PCIe 4.0 x1 Slots (PCIE2 and PCIE3)*
	- 1 x M.2 Socket (Key E), supports type 2230 WiFi/BT PCIe WiFi module*
	- 15µ Gold Contact in VGA PCIe Slot (PCIE1)
Storage	CPU:

	- 1 x Blazing M.2 Socket (M2_1, Key M), supports type 2280 PCIe Gen5x4 (128 Gb/s) mode*
	- 1 x Hyper M.2 Socket (M2_2, Key M), supports type 2260/2280 PCIe Gen4x4 (64 Gb/s) mode*
	Chipset:
	- 4 x SATA3 6.0 Gb/s Connectors
USB	- 1 x USB 3.2 Gen1 Type-C (Rear)
	- 5 x USB 3.2 Gen1 Type-A (3 Rear, 2 Front)
	- 6 x USB 2.0 (2 Rear, 4 Front)
Connector	- 1 x SPI TPM Header
	- 1 x Power LED and Speaker Header
	- 1 x CPU Fan Connector (4-pin)*
	- 3 x Chassis/Water Pump Fan Connectors (4-pin) (Smart Fan Speed Control)**
	- 1 x 24 pin ATX Power Connector
	- 1 x 8 pin 12V Power Connector
	- 1 x Front Panel Audio Connector
	- 2 x USB 2.0 Headers (Support 4 USB 2.0 ports)
	- 1 x USB 3.2 Gen1 Header (Supports 2 USB 3.2 Gen1 ports)
Rear Panel I/O	- 2 x Antenna Mounting Points
	- 1 x HDMI Port

	- 1 x DisplayPort 1.4
	- 1 x USB 3.2 Gen1 Type-C Port
	- 3 x USB 3.2 Gen1 Type-A Ports
	- 2 x USB 2.0 Ports
	- 1 x RJ-45 LAN Port
	- 1 x BIOS Flashback Button
	- HD Audio Jacks: Line in / Front Speaker / Microphone
Form Factor	- Micro ATX Form Factor: 9.6-in x 8.9-in, 24.4 cm x 22.6 cm

